

EMLock® Lifetime Warranty






MEA City of New York

3774-0324:100

768-80-SA



GWXT Auxiliary Locks CVXJ Burglary Resistant Electrically Operated Door Lock



1510 Series Grade 1 1650 lb / 748 Kg Holding Force

1570 Series Grade 1 1200 lb / 544 Kg Holding Force

1580 Series Grade 1 650 lb / 295 Kg Holding Force

ELECTRICAL SPECIFICATIONS

ELECTRICAL SPECIFICATIONS

3 Watt Power Saver

ELECTRICAL SPECIFICATIONS

Voltage: 12/24VDC Voltage Sensing Input

Single: 350mA @ 24VDC; 670mA @ 12VDC Double: 700mA @ 24VDC; 1.34A @12VDC

Voltage: 12/24VDC Voltage Sensing Input Single: 125mA @ 24VDC; 250mA @ 12VDC Double: 250mA @ 24VDC; 500mA @ 12VDC

Voltage: 12/24VDC Voltage Sensing Input Single: 220mA @ 24VDC; 440mA @ 12VDC Double: 440mA @ 24VDC; 880mA @ 12VDC

MECHANICAL SPECIFICATIONS

Single: 11" L x 2.75" H x 1.562" D (279.4 x 69.9 x 39.7 mm) **Double:** 22" L x 2.75" H x 1.562" D

(558.8 x 69.9 x 39.7 mm)

Single: 11" L x 2.75" H x 1.562" D (279.4 x 69.9 x 39.7 mm)

Double: 22" L x 2.75" H x 1.562" D

(558.8 x 69.9 x 39.7 mm)

Single: 8.75" L x 2.125" H x 1.25" D

(222.2 x 54 x 31.8 mm) **Double:** 17.5" L x 2.125" H x 1.25" D

(444.5 x 54 x 31.8 mm)



EMLOCK® MODELS

466.00

Add to List

125.00

83.00







		Discount Code
50lb / 748 kg Holding Force, Autom	natic Voltage Sensing Input	



Double EmLock® 932.00 1512 1513 Single EmLock®, split armature for pair of doors 523.00

1200lb / 544 kg Holding Force, Automatic Voltage Sensing Input

1571 Single EmLock®	435.00
1572 Double EmLock®	880.00
1573 Single EmLock®, split armature for pair of doors	492.00

650lb / 295 kg Holding Force, Automatic Voltage Sensing Input

1581	Single EmLock®	363.00
1582	Double EmLock®	715.00











SPECIFY FINISH

Single EmLock	Double Emlock
N/C	N/C
83.00	125.00
	N/C

Powder Coat Finishes (a coating electrostatically applied to form a hard finish, that is tougher than conventional paint) Dark Bronze Powder Coat Painted (313/613 Equal) 83.00 Х 125.00

С Brass Powder Coat Painted

Plate	d Finishes - Special order, no cancellation, no returns		
Р	625 Bright Chrome	197.00	228.00
Q	626 Dull Chrome	197.00	228.00

Architectural Housing add \$30 per foot to above Single Unit Price.



see page 16





List

42.00

LIST

166.00

List

373.00

83.00

SPECIFY OPTIONS

See Modular Program price list when ordering separately for field upgrades. Different part numbers and pricing apply.

Т Adjustable timer. Built in field adj. 0-30 sec. relock delay. 67.00 Specify one for single or double EmLocks® (not available with 1580 series)

Door position sensor. Indicates door open and door closed. Specify two for double EMLocks® (not available with 1513 and 1573)

SPDT Dry, 250 mA @ 30VDC.

Magnetic bond sensor. Indicates locked with full holding power and unlocked, low holding power, 63.00 low voltage, tampering and obstruction between armature and magnetic core.

Specify (2) for double EmLocks® (Not available with 1513 and 1573)

- 1510 & 1570 Series: SPDT Dry, 250 mA @ 30VDC.
- 1580 Series: SPST N.O., Dry, 250 mA @ 30VDC.

17.00 L Bi-color status LED indicator. Field selectable Red and Green. (Not installed in lock.) Indicates lock energized when wired to lock input.

Indicates de-energized/unlocked or "Enter/Go" when wired to built-in TD Module Indicates energized and de-energized or "Enter/Go" when wired to access control auxiliary output. Indicates door is closed and locked and door is unlocked when wired to Bond Sensor.

52.00 Anti-tamper sensor. Indicates access cover removal. SPDT Dry, 1 Amp @ 30VDC



SPECIFY TOP JAMB MOUNTING KIT

Kits for 1200lb and 1650 lb Locks Kits for 650lb Locks T.181 125.00 TJ1 Single Single Double T.IR2 Double 203 00

102	Beable	1002	Beable		200.00
				A	dd to List
Anodize	d Finishes			Single Top Jamb	Double Top Jamb


V 628 Aluminum (std) Powder Coat Finishes (a coating electrostatically applied to form a hard finish, that is tougher than conventional paint)

Y Black Anodized

X Dark Bronze Powder Coat Painted C Brass Powder Coat Painted 166.00 83.00

Plated Finishes - Special order, no cancellation, no returns Add to List

P 625 Bright Chrome 228.00 Q 626 Dull Chrome 197.00



SPECIFY GLASS DOOR MOUNTING KIT

N/C

Universal glass door kits are compatible with lock models, except 1513 and 1573

Field adjustable for 1/2", 5/8" and 3/4" all glass Herculite doors

Kits for 1511, 1571, 1581 Kits for 1512, 1572, 1582 HDB1 Single 187.00 HDB2 Double, 2 single kits

Add to List Single **Double**




Powder Coat Finishes (a coating electrostatically applied to form a hard finish, that is tougher than conventional paint)

X Dark Bronze Powder Coat Painted C Brass Powder Coat Painted 83.00 166.00

Plated Finishes - Special order, no cancellation, no returns

P 625 Bright Chrome **Q** 626 Dull Chrome 104.00 207.00




Field Upgrade without Removing from the Frame



Field Install

- Monitoring outputs
- Timers
- Top jamb "Z" kit
- Glass door kits



52.00

SECU 801 AVE

EMLock® Magnetic Locks

V	ertical Hous	ing EMLock	

Vertical Housings - Side jamb mount, aprovides 2,400 or 3,300 lbs. of holding force.

1572VV82Vertical Housing for 1572 EMLock, 82" length, for 84" opening - INCLUDES 1572 lock1552.001512VV82Vertical Housing for 1512 EMLock, 82" length, for 84" opening - INCLUDES 1512 lock1605.00CVCustom length. Specify exact lengthPOA

See page 7 for special finish designation and finish price

Retrofit Kit for Discontinued Locknetics 390+ PLUS


Distributor
Discount Code GK LIST

Enables replacement of Locknetics 390+ PLUS with SDC's 1511 and 1571 (ordered separately)

1511-390AMP Retrofit Kit includes lock mounting plate with self-tapping & drilling screws and Armature assembly, utilizes existing 390+ thru-bolt hole.

52.00

LIST



Field Installed Modular Upgrade Kits

Ordered separately for field upgrade without removing the lock from the frame

For complete details contact SDC to request the Modular Upgrade Kit datasheet or download from the SDC website: www.sdc.security.com/docLibrary.aspx All available through shipQuick Inventory

EZ-A

EZ-B-80



EZ-1510W Holding Force Module: Replace a
1200lb wire core (1570 series) with
this 1650lb wire core. Specify (2
for double EmLocks®

Anti-Tamper Switch Module:

Indicates cover plate removal.

EZ-D-80 1580 Door Position Sensor Module: 42.00 Specify (2) for double EmLocks®

EZ-1570W Energy Saver Module: Save on power supply and long term energy costs by replacing 8.4 Watt, 1650lb coil with 3 Watt, 1200lb holding force coil. Specify (2) for double EmLocks®

EZ-B-10 1510, 1570 Magnetic Bond Sensor
Module: Specify (2) for double
EmLocks® (Not available
with 1513,1573)

1580 Magnetic Bond Sensor
Module (SPST):
Specify (2) for double EmLocks®

Reusable Heavy Duty Drill Fixture




1511-DF	Heavy duty drill fixture for 1571 and 1511	156.00
1581-DF	Heavy duty drill fixture for 1580	156.00
BN-PT	Blind Nut Placement Tool	125.00
BN-50	Blind Nuts, 10/32, 50 Pack	52.00

LIST

Combined with interlocking E-Z mount assembly, save up to a half day's labor with the installation of 12 locks. Multiple pre-drilled and tapped mounting holes to Solid 1" bar provides higher security and superior aesthetics. accommodate the use of several different locks on either Machined wire chase provides concealed and secure wiring 4" or 4.5" aluminum frames

Used in lieu of angle brackets, the Universal Header Bracket provides a faster mounting solution, saving time and labor costs for several EmLock® models. Reduce potential for mis-sized and misaligned mounting holes, broken taps, removal of broken taps.




UB11V	Bracket for 1511, 1513, 1571. 1" x 1" x 11"	67.00
UB12V	Bracket for 1512, 1572. 1" x 1" x 22"	133.00

See special finishes 7



Aluminum Spacer Bracket & Concrete Filled Frame Plate - Pre-Drilled & TappedGK



APPLICATION

- Aluminum frames with blade stop lowers EmLock® below blade stop
- Concrete filled hollow metal frames provides multiple points for concealed wire entry

FEATURES

- Pre-drilled and tapped specifically for 1510, 1570, 1580 EmLock
- Machined wire chase provides multiple points for concealed wire entry from concrete filled frames.

UF11V	Bracket for 1511, 1513, 1571, 1573. 1/2" x 1-1/2" x 11"	94.00
UF12V	Bracket for 1512 and 1572. 1/2" x 1-1/2" x 22"	116.00
UF81V	Bracket for 1581. 1/2" x 1-1/4" x 8-3/4"	75.00
UF82V	Bracket for 1582. 1/2" x 1-1/4" x 17-1/2"	104.00

Armature Mounting Plate

LIST

The AR Mounting plate provides a solution for mounting the EmLock® armature to the top rail of aluminum, glass, wood and hollow metal doors that do not permit the use of thru bolts. **Dimension:** 8 1/2" x 3"



MODEL

AR11YD

AR11Y Armature mounting plate (Black) Specify one for models 1511, 1571, two for models 1512, 1572 63.00

LIST


125.00


228.00

AR11Y

Armature mounting plate (black) with door sensor Specify one for models 1511, 1571, two for models 1512, 1572








Distributor **GK**


Door Coordinator Lock Mounting Kit

DC-1 Door coordinator mounting bracket for single models 1511 and 1571.


DC-2 Door coordinator mounting bracket for double models 1512 and 1572.







Magnetic Locks



FILLER PLATES: For extension of the stop to provide a proper mounting surface on the underside of the header. **See Figure 1B.**

FOR 8-3/4" (2	222mm) SINGLE EMLOCK MODELS	GK
1581, 1581DE	V	
PART #	A x B	LIST
FP01	1/8" x 1-1/4" (3 x 32mm)	32.00
FP02	1/4" x 1-1/4" (6 x 32mm)	34.00
FP03	3/8" x 1-1/4" (10 x 32mm)	36.00
FP04	1/2" x 1-1/4" (13 x 32mm)	38.00
FP05	5/8" x 1-1/4" (16 x 32mm)	38.00

FOR 11" (279mm) SINGLE EMLOCK MODELS 1511 1571 1511S 1511DEV 1581S 1573 1571DEV 1513 1511T LIST PART # A x B FP11 1/8" x 1-1/4" (3 x 32mm) 35.00 FP12 1/4" x 1-1/4" (6 x 32mm) 36.00 FP13 3/8" x 1-1/4" (10 x 32mm) 36.00 FP14 1/2" x 1-1/4" (13 x 32mm) 40.00 5/8" x 1-1/4" (16 x 32mm) FP15 42.00


FOR 17-1/2" (445mm) DOUBLE EMLOCK MODEL 1582

PART #	АхВ	LIST
FP30	1/8" x 1-1/4" (3 x 32mm)	40.00
FP31	1/4" x 1-1/4" (6 x 32mm)	42.00
FP32	3/8" x 1-1/4" (10 x 32mm)	44.00
FP33	1/2" x 1-1/4" (13 x 32mm)	46.00
FP34	5/8" x 1-1/4" (16 x 32mm)	48.00

FOR 22" (559mm) DOUBLE EMLOCK MODELS 1512 1572

	10.2	
PART #	АхВ	LIST
FP21	1/8" x 1-1/4" (3 x 32mm)	40.00
FP22	1/4" x 1-1/4" (6 x 32mm)	42.00
FP23	3/8" x 1-1/4" (10 x 32mm)	44.00
FP24	1/2" x 1-1/4" (13 x 32mm)	46.00
FP25	5/8" x 1-1/4" (16 x 32mm)	48.00

Angle Brackets



Distributor
Discount Code **GK**

ANGLE BRACKETS: Used as extension on shallow door frames to provide adequate mounting surface.

See Figure 1C.

FOR 8-3/4" (2	222mm) SINGLE EMLOCK MODELS	GK
1581, 1581DE\	V	
PART #	АхВ	LIST
AB01	1" x 1" (25 x 25mm)	40.00
AB02	1" x 1-1/2" (25 x 38mm)	42.00
	/0" /0" /00	

AB01	1" x 1" (25 x 25mm)	40.00			
AB02	1" x 1-1/2" (25 x 38mm)	42.00			
AB03	1-1/2" x 1-1/2" (38 x 38mm)	44.00			
AB04	2" x 1-1/2" (51 x 38mm)	46.00			
FOR 11" (279mm) SINGLE EMLOCK MODELS 1511 1571 15119 1511DEV 15819					

1511	1371	13113	ISTIDEV	10010	
1513	1573	1511T	1571DEV		
PART	#	A x B			LIST
AB11		1" x 1" (2	5 x 25mm)		42.00
AB12	!	1" x 1-1/2	2" (25 x 38mm)		44.00
AB13	}	1-1/2" x 1-	1/2" (38 x 38mm	٦)	46.00
ΔR14		2" x 1-1/2"	(51 x 38mm)		48 00

FOR 17-1/2" (445mm) DOUBLE EMLOCK MODEL 1582

PART #	A x B	LIST
AB30	1" x 1" (25 x 25mm)	52.00
AB31	1" x 1-1/2" (25 x 38mm)	56.00
AB32	1-1/2" x 1-1/2" (38 x 38mm)	61.00
AB33	2" x 1-1/2" (51 x 38mm)	65.00

FOR 22" (559mm) DOUBLE EMLOCK MODELS 1512 1572

PART #	АхВ	LIST
AB21	1" x 1" (25 x 25mm)	52.00
AB22	1" x 1-1/2" (25 x 38mm)	56.00
AB23	1-1/2" x 1-1/2" (38 x 38mm)	61.00
AB24	2" x 1-1/2" (51 x 38mm)	65.00

SPECIFY FINISH			Add to List	
		Single EmLock	Double EmLock	
V 628 Aluminum (standard)		N/C	N/C	
Y 335 Black Anodized		32.00	63.00	
Powder Coat Finishes (a coating electrostatically applied to form a hard finish, that is tougher than conventional paint)				
X Dark Bronze Powder Coa	t Painted	32.00	63.00	
C Brass Powder Coat Painte	ed	32.00	63.00	
Plated Finishes - Special order, no cancellation, no returns				
P 625 Bright Chrome	Q 626 Dull Chrome	32.00	63.00	