

FPR-1000

FEATURES

- Easy, Quick and Secure
- Finger print & RFID EM card
- Vandal Resistant Construction
- Remote IR Programmer
- Wiegand 26 output
- 1000 Fingerprint Users
- 2000 RFID Card Users



The FPR-1000 finger print reader with Wiegand 26-Bit output accepts fingerprints and RFID EM proximity cards from a range of up to 3 inches. With the built in lock output and Wiegand 26-bit output you can choose to connect it directly to an electronic lock or wire to an access control system.

Programming is done using the included handheld IR programmer and program manual to add/remove users. Each unit also includes a mounting bracket and security screw for a tamper resistant installation.

MAIN FEATURES

- Finger print & RFID EM card activation
- Standalone Operation for fail safe and fail secure locks
- Wiegand 26 output
- Internal buzzer
- LED color control input
- Built in tamper switch
- Made of tough metal construction

Options*

FPR-RG - Plastic rain guard with rubber gasket



FPR-RG

*weather covers & heated boxes available for outdoor installations



1177 Riverfront Center • Amsterdam, NY • 12010
ph: 518-212-5329 fax: 518-843-3399
www.cobracontrols.com

FPR-1000 Fingerprint/RFID Prox Card Reader

FPR-1000

Specifications

• Operating Voltage Range	12 VDC
• Input current	Idle Current: 20 mA at 12 VDC Active Current: 80 mA at 12 VDC
• Read Range	Maximum read range – 3”
• Output Format	Wiegand 26 Bits
• Visual	Bi-color LED indicator
• Design	Metal construction with mounting bracket and security screw
• Operating Temperature	14 °F to 122°F (-10°C to 50°C)
• Operating Humidity	20%RH to 95% RH
• Dimensions	4-5/16”L x 2-7/8”W x 1-1/4”D (110 x 74 x 31 mm)
• Weight	1 lb. (.45 kg)
• Warranty	2-year Limited Product Warranty



1177 Riverfront Center • Amsterdam, NY • 12010
ph: 518-212-5329 fax: 518-843-3399
www.cobracontrols.com