



SDC Factory Installed Kits are UL Listed and Field Retrofit Kits are UL Classified for use with 3Hr fire rated and non-fire rated mechanical exit devices. Only 450mA inrush / 180mA continuous @ 24VDC provides simultaneous latch retraction, dogging with pushpad depression
 ◇ unless specified otherwise.



SPECIFY BRAND MODEL

SDC 6000 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100SDCK	550.00	LR100SDC	600.00
30"	LR100SDCKEM	600.00	LR100SDCEM	650.00

Options: Retrofit Monitoring Kits, SPDT

LRSDC1L	Latch Status Kit	100.00
LRSDC1R	Pushpad/Dogging Status or REX Status Kit	100.00

Models

Standard Line		Narrow Line
S6100	Rim Mount	N6100
S6200	Surface Vertical Rod	N6200
S6300	Mortise	
S6800	Concealed Vertical Rod	N6800

Cal-Royal 9800 Rim Mount Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100CAK	550.00	LR100CA	600.00

Models

9800	Rim Mount
9860	Surface Vertical Rod

SPECIFY BRAND MODEL

LIST

Adams Rite Exit Device

Electric Latch Retraction / Dogging Device

NEW RELEASE

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100ARK	550.00	LR100AR	600.00

Models

Standard Line (Hollow Metal Doors)		Narrow Line (Hollow Metal Doors)	Fire Rated
8700	Rim Mount	8800	3700
8100	Surface Vertical Rod	8200	3100
8300	Mortise	8400	3300
8500	Concealed Vertical Rod	8600	3600

* Note: Retracts only the latch

Arrow 1000 Series Exit Devices

Electric Latch Retraction / Dogging Device

NEW RELEASE

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100AWK	550.00	LR100AW	600.00
42"	LR100AWK42	600.00	LR100AW42	650.00
48"	LR100AWK48	600.00	LR100AW48	650.00

Models

S1250	Rim Mount
-------	-----------

7 - Electric Latch Retraction Kit

SPECIFY BRAND MODEL LIST

Corbin Russwin ED Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100CRK	550.00	LR100CR	600.00
42" - 48"	LR100CRK-42/48	600.00	LR100CR-42/48	650.00

Options: Retrofit Monitoring Kits, SPDT

	LR100CR1L	Latch Status Kit	100.00
	LR100CR1R	Pushpad/Dogging Status or REX Status Kit	100.00

* Note: Retracts only the latch

Models

ED5200	Rim Mount
ED4200	Narrow Rim Mount
ED5400	Surface Vertical Rod
ED5800	Concealed Vertical Rod

Detex Exit Device

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100DXK	550.00	LR100DX	600.00

Models

Standard Line		Narrow Line
10 Series	Rim Mount	40 Series
20 Series	Surface Vertical Rod	50 Series
80 Series	Concealed Vertical Rod	60 Series

Dorma Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100DAK	550.00	LR100DA	600.00

Models

9300	Rim Mount
9400	Surface Vertical Rod

Dor-O-Matic Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100DMK	550.00	LR100DM	600.00

Models

1590	Rim Mount
1490	Concealed Vertical Rod

Falcon Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100FAK	550.00	LR100FA	600.00

Models

1790	Rim Mount
1690	Concealed Vertical Rod

SPECIFY BRAND MODEL LIST

Falcon IR Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100FRK	550.00	LR100FR	600.00

NEW RELEASE

Models

Standard Line		Narrow Line
25-R / F-25-R	Rim Mount	24-R / F-24-R
25-V / F-25-V	Surface Vertical Rod	24-V / F-24-V
25-C / F-25-C	Concealed Vertical Rod	24-C / F-24-C

First Choice 3000 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100FCK	550.00	LR100FC	600.00

Models

3700	Rim Mount
3600	Concealed Vertical Rod

Hager 4500 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100HK	550.00	LR100H	600.00
30"	LR100HEM	600.00	LR100HEM	650.00

Options: Retrofit Monitoring Kits, SPDT

	LRH1L	Latch Status Kit	100.00
	LRH1R	Pushpad/Dogging Status or REX Status Kit	100.00

Models

4501 - Rim	Rim Mount
4501 - SVR	Surface Vertical Rod

IDC (International Door Closers)

8000 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100IDCK	550.00	LR100IDC	600.00
30"	LR100IDCKS	600.00	LR100IDCS	650.00

Options: Retrofit Monitoring Kits, SPDT

	LR100IDC1L	Latch Status Kit	100.00
	LR100IDC1R	Pushpad/Dogging Status or REX Status Kit	100.00

Models

Standard Line		Narrow Line
8610/8810	Rim Mount	8510/8710
8630/8830	Surface Vertical Rod	8530/8730
8620/8820	Mortise	
8650/8850	Concealed Vertical Rod	8550/8750

Price List Effective October 1, 2012

SECURITY DOOR CONTROLS
801 Avenida Acaso • Camarillo, CA 93012
Email: Service@sdsecurity.com • www.sdsecurity.com



RELEASE PENDING

7 - Electric Latch Retraction Kit

continued on next page

SPECIFY BRAND MODEL LIST

Jackson Exit Devices

RELEASE PENDING

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100JJK	550.00	LR100JK	600.00

Models

2095 / 1295	Rim Mount
2085 / 1285	Concealed Vertical Rod

K2 QED Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100K2K	550.00	LR100K2	600.00
30"	LR100K2KEM	600.00	LR100K2EM	650.00

Options: Retrofit Monitoring Kits, SPDT

LRK2R	Latch Status and REX Status or Pushpad/Dogging Status Kit	100.00
-------	---	--------

Models

QED111	Rim Mount
QED114	Surface Vertical Rod
QED124	Concealed Vertical Rod

Kawneer Exit Devices

RELEASE PENDING

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100KWK	550.00	LR100KW	600.00

Models

1786	Rim Mount
1686	Concealed Vertical Rod

PHI (Precision Hardware) Exit Devices

Electric Latch Retraction / Dogging Device (Less Bottom Rod)

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100PDK	550.00	LR100PD	600.00

Options: Retrofit Monitoring Kits, SPDT

LRP1L	Latch Status Kit for PHI Rim 2000 Series	100.00
LRP2L	Latch Status Kit for PHI Vertical 2000 Series	100.00
LRP1R	REX Status or Pushpad/Dogging Status for PHI 2000 Series	100.00

Models

2101	Rim Mount
2201	Surface Vertical Rod
2801	Concealed Vertical Rod
5100	Rim Mount
5200	Surface Vertical Rod

SPECIFY BRAND MODEL LIST

PDQ Exit Devices

NEW RELEASE

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100PDQK	550.00	LR100PDQ	600.00

Models

6200R	Rim Mount
6200V	Surface Vertical Rod

Sargent Exit Devices

NEW RELEASE

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100SGK	550.00	LR100SG	600.00

Models

8800	Rim Mount
8700	Surface Vertical Rod
8600	Concealed Vertical Rod

* Note: Retracts only the latch

TownSteel ED1100 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100TSK	550.00	LR100TS	600.00
30"	LR100TSKEM	600.00	LR100TSEM	650.00

Models

ED1100	Rim Mount
--------	-----------

Yale 7000 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"	LR100YDK	550.00	LR100YD	600.00
42" - 48"	LR100YDK-42/48	600.00	LR100YD-42/48	650.00

Options: Retrofit Monitoring Kits, SPDT

LRY1L	Latch Status Kit	100.00
LRY1R	Pushpad/Dogging Status or REX Status Kit	100.00

* Note: Retracts only the latch

Models

Standard Line		Narrow Line
7100	Rim Mount	7200
7100-2	Rim Mount	
7110	Surface Vertical Rod	7210
7120	Concealed Vertical Rod	



SECURITY DOOR CONTROLS
 801 Avenida Acaso • Camarillo, CA 93012
 Email: Service@sdgsecurity.com • www.sdgsecurity.com

Price List Effective October 1, 2012

SPECIFY BRAND MODEL

LIST

Von Duprin 98/99 and 33/35 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100VDK	550.00	LR100VD	600.00
30"	LR100VDKEM	600.00	LR100VDEM	650.00

Models

98/99	Rim Mount
9827/9927	Surface Vertical Rod
9847/9947	Concealed Vertical Rod
9875/9975	Mortise
9857/9957	Three Point latching
9875/9975	Mortise
9857/9957	Three Point Latching

Note: Please check our website regularly for new releases in this product line

SPECIFY BRAND MODEL

LIST

Von Duprin 22 Series Exit Devices

Electric Latch Retraction / Dogging Device

Length	Field Retrofit Kit	LIST	Factory Installed	LIST
36"-48"	LR100VDK22	550.00	LR100VD22	600.00
30"	LR100VDKEM22	600.00	LR100VDEM22	650.00

Models

22	Rim Mount
2227	Surface Vertical Rod

Options: Retrofit Monitoring Kits, SPDT for Von Duprin 98/99, 33/35 and 22 Series

LRVD1L	Latch Status Kit for Von Duprin 98/99 and 22 Series	100.00
LRVD2L	Latch Status Kit for Von Duprin 33/35 Series	100.00
LRVD1R	REX Status or Pushpad/Dogging Status for Von Duprin 98/99 and 33/35 Series	100.00
LRVD2R	REX Status or Pushpad/Dogging Status for Von Duprin 22 Series	100.00

ACCESSORIES

List

602RF	1 Amp Power Supply, UL Listed 294, for 1 or 2 exit devices	300.00
632RF	2 Amp Power Supply, UL Listed 294 for 3 or 4 exit devices	400.00
EMC	2 Station Automatic Door Sequence; Each EMC provides interface and sequencing for two single or one double automatic door.	150.00
PTH-4Q	4-wire Electric Hinge, 1 Amp max. UL 10B	150.00
PTH-4QDPS	4-wire, Electric Hinge 1 Amp max. UL 10B. With concealed Door Status Contact	200.00
PTH-2+4Q	6-wire Electric Hinge 1-pair 16 Amp inrush, 4 Amp continuous; 2-pair 1 Amp @ 12/24V	175.00
PTH-10Q	Ten (10) Conductor Power Transfer Hinge, 1 Amp @ 12/24V per pair	195.00
PT-5	Concealed mortise power transfer device, UL 10B Fire Door Accessory	60.00
PT-3V	Stainless steel door loop with surface wire junction	45.00
PTM-2AL	Two (2) Conductor Power Transfer Device: Two (2) 18 Ga. wires 5 Amp @ 12/24V AC/DC, Aluminum Powder Coat, US28 equivalent	358.00
PTM-2BZ	Two (2) Conductor Power Transfer Device: Two (2) 18 Ga. wires 5 Amp @ 12/24V AC/DC, Dark Brown Powder Coat, US10B equivalent	358.00
PTM-10AL	Ten (10) Conductor Power Transfer Device: Ten (10) 24 Ga. wire 1 Amp @ 12/24V AC/DC, Aluminum Powder Coat, US28 equivalent	358.00
PTM-10BZ	Ten (10) Conductor Power Transfer Device: Ten (10) 24 Ga. wire 1 Amp @ 12/24V AC/DC, Dark Brown Powder Coat, US10B equivalent	358.00
400U-L2	Two LEDs. Specify lens color. Standard Finish, on 1 Gang plate	45.00
400NU-L2	Two LEDs. Specify lens color. Standard Finish, on narrow plate	45.00



602RF
see page 61



PTH-4Q
see page 80



PTM
see page 81



400NU-L2
see page 78