



IMPROVED CERTIFICATIONS SEARCH TOOL. REGISTER NOW!

[LEARN MORE](#)

ALVY.BP7041 Access Control System Units

[Page Bottom](#)

Access Control System Units

[See General Information for Access Control System Units](#)

HANCHETT ENTRY SYSTEMS INC, DBA SECURITRON MAGNALOCK CORP

BP7041

10027 S 51st St, Suite 102
PHOENIX, AZ 85044-5219 USA

Access control power supply, Model BPS-12-1(-CH) and Model BPS-24-1(-CH).

Access control system unit sub-assemblies, Models PS-12-1M, PS-24-1M Power Supply Board.

Access control unit accessories, Model XMS exit detector.

Free-exit locking system, Models XP-1(#), XP-1F(#) consisting of the following subassemblies: Models BPS-12-1, BPS-12-3, BPS-12-4.5, BPS-12-6, BPS-12-9 or BPS-12-15, BPS-24-1, BPS-24-2, BPS-24-3, BPS-24-4, BPS-24-6 or BPS-24-10, BPS-12-1-CH, BPS-12-3-CH, BPS-12-4.5-CH, BPS-12-6-CH, BPS-12-9-CH or BPS-12-15-CH, BPS-24-1-CH, BPS-24-2-CH, BPS-24-3-CH, BPS-24-4-CH, BPS-24-6-CH or BPS-24-10-CH, BPSM-12-6, BPSM-12-9, or BPSM-12-15, BPSM-24-4, BPSM-24-6, or BPSM-24-10 Class 2 output power supplies; Models TSB-1, TSB, TSB-B, TSB-BK, TSB-CL, EL-TSB, EL-TSB-B, 3100, 3300, 3600, 3700, TSH-BK, EL-TSH-BK, TSH-CL or EL-TSH-CL exit device; Series M32, M34, M38, M62, M68 and M82, and SAM Series may be followed by suffixes C or S, locking devices for egress applications only; and Model LCP Lock control panel.

Request-to-exit motion detector and locking device, Models M680BDX (*), M680BDCX (*), M680BDC2X (*).

Power supply assemblies, Models IPS2R - D758F - 01, IPS2R - M754R - 01, IPS2R - D754R - 01.

All models may be prefixed with "FA".

(#) May employ UL Listed Fire Exit Hardware: Adams Rite, Models 3700, 3600, 3300, 3100 or Sargent Mfg, Series 80 prefixed with 55 and/or 12.

(*) Complementary Listed to CVXJ under File No. BP10630 and FWAX2 under File No. SA6635

ANSI/UL 294 (6th Ed.) Access Control Performance Levels

Model(s)	Product Type(s)	Access Control Line Security	Destructive Attack	Endurance	Standby Power	Conditions and Notes
M680BDX (*), M680BDCX (*), M680BDC2X (*).	Access control system unit accessories	I	I	I	I	—
TSH-BK, TSH-CL Touch Sense Handles. May be prefixed with FA and/or "EL-".	Access control system unit accessories	I	I	IV	I	—
EEB2, EEB3N Request to Exit Buttons. Models may include "FA" prefix.	Access control system unit accessories	I	I	I	I	—
Access control power supply , BPS-12/24-1; Power Supply Unit , PS1 (Adams Rite)	Access control system unit accessories	I	I	IV	IV	—
BPS-12-3, -4.5, -6, -9, -15; BPS-24-2, -3, -4, -6, -10	Access control	I	I	IV	II	—

BPSM-12-6, -9, -15; BPSM-24-4, -6, -10	system subassembly					
BPS-3-CH, -4.5-CH, -6-CH, -9-CH, -15-CH; BPS-24-2-CH, -3-CH, -4-CH, -6-CH, -10-CH BPS-12-1-CH, BPS-24-1-CH	Access control system subassembly	I	I	IV	I	—
TSB, TSB-1, TSB-B, EL-TSB, EL-TSB-B, TSB-BK, TSB-CL; 3700, 3600, 3300, 3100; TSH-BK, EL-TSH-BK, TSH-CL, EL-TSH-CL; M32, M34, M38, M62, M68, M82; SAM series; Dual Sense Bar will be followed by CL, BK, C or B, may be followed by 42, 48, I, A, IA or M, may be prefix with EL or D.	Access control system subassembly	I	I	IV	I	—
BPS-12-1, BPS-24-1	Access Control Power Supply	I	I	IV	IV	—
BPS-12/24-1	Access Control Power Supply	I	I	IV	IV	—
AQD1B (Power Supply)(+)	Access control system subassembly	I	I	IV	IV	—
AQD2B (Power Supply)(+)	Access control system subassembly	I	I	IV	IV	—
AQD4B (Power Supply)(+)	Access control system subassembly	I	I	IV	IV	—
AQD6B (Power Supply)(*)(+)	Access control system subassembly	I	I	IV	IV	—
AQS1210B (Power Supply)(+)	Access control system subassembly	I	I	IV	IV	—
AQS1216B (Power Supply)(+)	Access control system subassembly	I	I	IV	IV	—
AQS2410B (Power Supply)(+)	Access control system subassembly	I	I	IV	IV	—
PDB-8C1R - 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-8C8R - 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-8F1R- 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-8F8R- 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-4C- 1A/-2A(+)	Access control	I	I	IV	I	—

	system subassembly					
PDB-4F- 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-8C- 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-8F- 1A/-2A(+)	Access control system subassembly	I	I	IV	I	—
PDB-FT,-/1R, PDB-FT10(+)	Access control system subassembly	I	I	IV	I	—
EPS-05	Access control accessory power supply	I	I	IV	IV	Standby Power Level IV when used with Ecoflex lock and H1 Controller

(*) Listed File S25426 (Report Date: 2014-03-03)

(+) Note: Finished good assembly part numbers may vary but at min the units contain a UL Listed enclosure such as model 400-12405 and any combination of the above option boards maybe interchanged to form a listed system.



Trademark and/or Tradename:

Last Updated on 2018-10-15

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".